

 **Morten Hertzum**, University of Copenhagen
Torkil Clemmensen, Copenhagen Business School
Pedro F. Campos, ITI/LARSyS and University of Madeira
Barbara Rita Barricelli, University of Brescia
Carl Emil Derby Hansen, Copenhagen Business School
Linnea K. Herbæk, Copenhagen Business School
Jose Abdelnour-Nocera, University of West London and ITI/LARSyS
Arminda Guerra Lopes, ITI/LARSyS and Polytechnic Institute of Castelo Branco
Parisa Saadati, University of West London

A SWOT Analysis of Pilot Implementation

Insights

- Pilot implementation is a method for evaluating the fit between a system and its real-world environment prior to release.
- The strengths of pilot implementation revolve around its realness and the weaknesses around its partialness.
- A pilot implementation reveals the consequences of a system for those involved and affected.

Over the preceding decades, usability testing became widely used for revealing design problems in information systems while they are still at the prototype stage. Normally, these tests involve removing users from their work for an hour or two to have them solve preset tasks with a system prototype in a lab-like setting. As a result, usability testing is insensitive to many of the organizational and contextual issues that determine the fit between a system and its real-world environment. Methods such as work domain analysis and scenario-based design aim to address this limitation but from an analysis-and-design

perspective. In contrast, pilot implementation is an evaluation method. It involves evaluating a system in the field and thereby is an important supplement to usability testing.

Evaluation in the field allows for identifying subtle organizational and contextual issues that are critical to the adoption of a system and to its consequences for those affected by it. This makes pilot implementation valuable to the interaction designer. However, pilot implementations are challenging to conduct, the identified issues may be muddled, and the possibilities for resolving them may be limited. In deciding whether and when

STRENGTHS

1. Pilot implementation provides realism (in terms of technical infrastructure, physical conditions, user workload, genuine consequences, etc.).
2. Pilot implementation helps discover social, organizational, and contextual issues (beyond those that can be discovered in lab-based usability tests).
3. The learning from a pilot implementation is informed by the implicit information and tacit knowledge that are inherent in real-life practices.
4. Pilot implementation makes the consequences of the system salient to users, thereby engaging them in providing feedback.
5. Pilot implementation helps create alignment among the stakeholders on whom system adoption is dependent.
6. Pilot implementation identifies discrepancies in how different user groups perceive the system.
7. Pilot implementation creates contact with project stakeholders to manage their expectations and enable them to contribute.
8. Pilot implementation, including its preparation phase, provides an understanding—and a shared vocabulary—of the user needs, system affordances, and change process.
9. Pilot implementation smooths the transition from the old system to the new, for example, by revealing local conditions that require system configuration.

WEAKNESSES

1. Pilot implementation informs, but does not put an end to, discussion about what using the system will be like.
2. The subtle and long-term consequences of using the system may be overlooked because the duration of a pilot implementation is limited.
3. Because the system has not yet been finalized, some aspects of its use cannot be included in the pilot implementation and conveyed to users.

OPPORTUNITIES

1. For emergent technologies in particular, pilot implementation provides for trying out new technological possibilities before deciding whether to adopt them.
2. Pilot implementation helps the pilot site realize special needs that require local customization of the organization-wide system configuration.
3. Pilot implementation fits well with design approaches that emphasize user-centeredness and user participation.
4. For sensitive changes in particular, pilot implementation provides for assessing and refining implementation procedures prior to full-scale implementation.
5. Pilot implementation provides for verifying whether revisions made in response to usability tests have been effective.
6. Pilot implementation creates room for innovative experimentation.
7. Pilot implementation is a means of providing developers and managers with early insights about the sociotechnical consequences of the system.
8. Facilities for managing the data about what is learned from the pilot implementation may strengthen the feedback loop and speed up development.
9. Pilot implementation creates a decision point for discontinuing system initiatives that face too many obstacles.
10. Pilot implementation can be extended with methods and tools for end-user development to involve (selected) users more thoroughly.

THREATS

1. The feedback from a pilot implementation may be neglected by developers and managers (e.g., to meet preset schedules or avoid extra costs).
2. Pilot implementation involves a risk of overly optimistic expectations among stakeholders about what benefits the system will deliver, and when.
3. Underestimating the extent of the preparation phase of pilot implementation (e.g., not involving the right participants, not providing sufficient training, etc.).
4. External events may make the period of pilot use unrepresentative of the users' work practices (e.g., working from home during the Covid-19 pandemic).

Table 1. The agreed-upon strengths, weaknesses, opportunities, and threats of pilot implementation.

to apply the method of pilot implementation, interaction designers need to be aware of its strengths, weaknesses, opportunities, and threats (SWOT). In this article, we offer a critical perspective on the adoption of pilot implementation in interaction design, supported by the results of a SWOT analysis.

PILOT IMPLEMENTATION

A pilot implementation is “a field test of a properly engineered, yet unfinished system in its intended environment, using real data, and aiming—through real-use experience—to explore the value of the system, improve or assess its design, and reduce implementation risk” [1]. This definition, illustrated in Figure 1, points to four ways in which pilot implementation goes beyond usability testing.

First, pilot implementations are conducted in the field, not the lab. This difference in setting means that the pilot system is exposed to the users’ technical infrastructure, organizational processes, incentive structures, power relations, and so forth.

Second, pilot implementations involve using the pilot system for real work. That is, preset tasks are replaced with the users’ real work, which has genuine interdependencies, deadlines, and consequences.

Third, pilot implementations are conducted toward the end of the system development process. This is necessary because pilot systems must be properly engineered; they are not merely mock-ups or prototypes.

Fourth, pilot implementations last for days, weeks, or even months. Therefore, data about what is learned must be collected in ways other than by listening in on the users while they think out loud.

Just as pilot implementation differs from usability testing, it also differs from the early stages of full-scale implementation. While full-scale implementation is conducted to realize benefit from the new system through continued use, pilot implementation is a test conducted to learn through temporary use. The learning objective means that a pilot implementation must strike a balance between integrating the system in day-to-day processes and maintaining a focus on the system as an object under evaluation.

As an example of a pilot




Figure 1. The elements of a pilot implementation.

implementation, Pereira et al. [2] describe the creation and pilot use of a blog for attracting more students to a university master’s program. The blog posts, for example, contained videos about the contents of the master’s program and summaries of theses written by its students. New blog posts were added several times a week throughout two periods of pilot use (July–August 2020 and January–August 2021). The data collected to learn from the pilot implementation showed that most visitors arrived at the blog from Facebook, thereby making links on this platform particularly important. The blog posts attracting most visitors concerned contemporary issues, such as smart cities, and suggested the importance of varied content. In terms of enrollment, 27 students were enrolled in 2020, compared to 18 the year before. In 2021, 50 students applied, thereby exceeding the maximum intake of 35 students. By documenting this increase, the pilot implementation provided a strong argument for making the blog permanent. The main challenge is the resources required to post new blog content on a continual basis.

INFORMING INTERACTION DESIGN THROUGH PILOT IMPLEMENTATION

This article is the outcome of a workshop held at the INTERACT2021 conference by the IFIP Working Group 13.6 on Human-Work Interaction Design. At the workshop, 11 studies of pilot implementation were presented and discussed. In the months after the workshop, nine of its participants—the authors of this article—continued discussions and made a SWOT analysis of pilot implementation. We chose a SWOT analysis because it explicitly looks for both pros and cons and because it

could be conducted in a consensus-building manner that identified the pilot-implementation features we agreed on (see sidebar on next page).

The SWOT analysis identified nine strengths, three weaknesses, 10 opportunities, and four threats (Table 1). We hope that our analysis will stimulate discussion about pilot implementation and inform decisions about when and how to apply this method. The strengths accord with the positive experiences from the above-mentioned master’s program blog and indicate that pilot implementation has a lot to offer. However, the uneven distribution of strengths and opportunities versus weaknesses and threats also reveals a need for further research on the features that weaken and threaten pilot implementation.

STRENGTHS

We contend that pilot implementation has nine strengths (Table 1). The strengths revolve around the realness that is achieved by trying out a system in its intended environment. Pilot implementations share this realness with methods such as beta tests and living labs. The aims of these methods overlap, but beta tests tend to be more about the technical quality of a system than the social and organizational issues included in pilot implementation. Living labs span labs that resemble a living environment as well as living environments that are instrumented for data collection; pilot implementation is exclusively about the latter.

The use of a system for real work makes its consequences salient to its users, who may experience that their daily work becomes easier, that their workload increases, or that workarounds become necessary. Usually, this salience is associated with the post-implementation stage after a



STUDENT
RESEARCH
COMPETITION



Association for Computing Machinery
Advancing Computing as a Science & Profession

ACM Student Research Competition

Attention: Undergraduate and Graduate Computing Students

The ACM Student Research Competition (SRC) offers a unique forum for undergraduate and graduate students to present their original research before a panel of judges and attendees at well-known ACM-sponsored and co-sponsored conferences. The SRC is an internationally recognized venue enabling students to earn many tangible and intangible rewards from participating:

- **Awards:** cash prizes, medals, and ACM student memberships
- **Prestige:** Grand Finalists receive a monetary award and a Grand Finalist certificate that can be framed and displayed
- **Visibility:** meet with researchers in their field of interest and make important connections
- **Experience:** sharpen communication, visual, organizational, and presentation skills

Learn more:

<https://src.acm.org>

HOW WE MADE THE SWOT ANALYSIS

The SWOT analysis proceeded in three steps inspired by the Delphi method [3]:

First, the authors made a SWOT analysis of the pilot implementation they had presented at the workshop. This step resulted in SWOT analyses of six of the 11 studies presented at the workshop (some of the authors had worked together on studies).

Second, the first author of this article compiled a list of 10 strengths, 10 weaknesses, 10 opportunities, and 10 threats related to pilot implementation. This list was based on the SWOT analyses from the first step, a reading of the other studies presented at the workshop, and the pilot-implementation literature.

Third, the nine authors individually rated the 40 SWOT items on a seven-point scale from "Strongly disagree" (1) to "Strongly agree" (7).

We retained the 26 items that received a median rating of 6 or 7, indicating that the majority of the authors agreed or strongly agreed that these items captured pilot-implementation features. The other 14 items were excluded because only a minority of the authors agreed more than weakly to them.

system has gone live [4]. Pilot implementation makes the consequences of using a system salient to those involved and affected while the design of the system has not yet been finalized, that is, prior to go-live. Thereby it provides possibilities for instigating increased accountability for these consequences and for remedying negative consequences before the system is released for full-scale use.

WEAKNESSES

The identified weaknesses (Table 1) revolve around the partialness of pilot implementation. While partialness is inevitable in any activity that attempts to stage real use prior to go-live, pilot implementation can go a long way to reduce the weaknesses, for example by prolonging the pilot implementation or involving multiple pilot sites. However, the reduction must be weighed against the cost of extra time and sites. Rather than seeking to minimize the weaknesses (at high cost), it appears advisable to factor them into the interpretation of the learning from the pilot implementation. In doing so, the first weakness almost becomes a recommendation for how to handle the partialness: by letting the pilot implementation inform discussions

rather than expecting it to put an end to them.

OPPORTUNITIES

The essence of the identified opportunities for deriving additional benefit from pilot implementation is that pilot implementation creates a room for experiencing and experimenting with a future system and the associated ways of working. Because pilot implementations have limited organizational and temporal scope, the cost of failure is restricted. Thus, it becomes feasible to run somewhat larger risks and learn from the outcome. Several of the opportunities (Table 1) point to ways of extending this learning through the incorporation of, for example, user-centered approaches, facilities for managing the feedback data, or tools for end-user development. These examples emphasize that pilot implementations are not merely tests but also opportunities for innovation. New possibilities may emerge as a result of the pilot implementation and be seized by its participants to pursue additional goals with the system.

THREATS

The identified threats (Table 1) emphasize that pilot implementations

Pilot implementation makes the consequences of using a system salient to those involved and affected while the design of the system has not yet been finalized.

may fail. Diverse issues must be handled to avoid failure, thereby requiring that those in charge of a pilot implementation maintain a wide spread of attention. The threats show that the issues in need of attention include, among others, schedule pressure, expectation management, and sufficient preparations. The preparation phase may last as much as 12 times longer than the period of pilot use if the users first need to reach alignment and external events interfere with the basis for reaching this alignment [5].

It should be noted that the identified threats focus on why a conducted pilot implementation may fail to generate benefit. They do not explain the issues that may lead to deciding against conducting a pilot implementation in the first place.

OUTLOOK

We do not mean to imply that the 26 items in our SWOT analysis are a complete list. Rather, we sought to err on the side of caution by only including items on which we agreed or strongly agreed. Researchers and practitioners with backgrounds different from ours may be aware of additional items or rate items differently. Our backgrounds are in research and mainly in systems for use at work. Complementary input is needed from, for example, design practitioners, system users, and people with a managerial outlook. These groups experience systems from different perspectives. Future work should attend to these differences, which bring out that pilot implementation may uncover contentious and political issues [5]. Thus, a consensus-building approach, such as the one taken in this article, will not suffice. Studies must also make room for dissensus among groups with different perspectives on pilot implementation. In our future work, we will continue to conduct case studies and action research to investigate the pros and cons of pilot implementation for all involved and affected.

One SWOT analysis cannot settle the qualities of pilot implementation. That said, we contend that there is untapped potential in recognizing pilot implementation as a method for evaluating the consequences of

systems prior to their release. Currently, pilot implementation is often confounded with the early stages of full-scale implementation. The human-computer interaction community could play a key role in the discussion of the qualities of pilot implementation and in positioning it as a method for evaluating the fit between a system and its real-world environment, thereby complementing lab-based usability tests.

ENDNOTES

1. Hertzum, M., Bansler, J.P., Havn, E., and Simonsen, J. Pilot implementation: Learning from field tests in IS development. *Communications of the Association for Information Systems* 30, 1 (2012), 313–328; <https://doi.org/10.17705/1CAIS.03020>
2. Pereira, M.C., Ferreira, J.C., Moro, S., and Gonçalves, F. University digital engagement of students. *Sense, Feel, Design – INTERACT2021 IFIP TC13 Workshops. Revised Selected Papers*. Springer, Cham, 2022, LNCS vol. 13198, 376–390; https://doi.org/10.1007/978-3-030-98388-8_33
3. Brady, S.R. The Delphi Method. *Handbook of Methodological Approaches to Community-Based Research: Qualitative, Quantitative, and Mixed Methods*. Oxford Univ. Press, Oxford, UK, 2016, 61–67.
4. Wagner, E.L. and Newell, S. Exploring the importance of participation in the post-implementation period of an ES project: A neglected area. *Journal of the Association for Information Systems* 8, 10 (2007), 508–524; <https://doi.org/10.17705/1jais.00142>
5. Mønsted, T., Hertzum, M., and Søndergaard, J. A socio-temporal perspective on pilot implementation: Bootstrapping preventive care. *Computer Supported Cooperative Work* 29, 4 (2020), 419–449; <https://doi.org/10.1007/s10606-019-09369-6>

✎ **Morten Hertzum** is a professor of information science at the University of Copenhagen. His research interests include human-computer interaction, sociotechnical change, and healthcare informatics. He coedited the book *Situated Design Methods* (MIT Press, 2014) and has authored books about usability testing and organizational implementation.
→ hertzum@acm.org

✎ **Torkil Clemmensen** is a professor in the Department of Digitalization at Copenhagen Business School. His research interest is in psychology as a science of design. His research centers on cultural-psychological perspectives on usability, user experience, and the digitalization of work. He contributes to human-computer interaction, design, and information systems.
→ tc.digi@cbs.dk

✎ **Pedro F. Campos** is associate professor with habilitation at the University of Madeira. He is VP for research at the Interactive Technologies Institute, part of LARSyS, a reference associate laboratory. His research interests include persuasive technologies, behavior change, pilot implementation, and human-work interaction design.
→ pedro.campos.pt@gmail.com

✎ **Barbara Rita Barricelli** is an assistant professor in the Department of Information Engineering at the University of Brescia. Her research interests are human-computer interaction, end user development, computer semiotics and semiotic engineering, and participatory design. She is chair of the IFIP Working Group 13.6 on Human-Work Interaction Design.
→ barbara.barricelli@unibs.it

✎ **Carl Emil Derby Hansen** is a master's student at Copenhagen Business School studying business administration and information systems. He has a bachelor's in business economics and IT. His bachelor thesis was a study of a change and implementation process and was written on a case of pilot implementation.
→ caha18aj@student.cbs.dk

✎ **Linnea K. Herbæk** is an M.Sc. student studying business administration and IT at Copenhagen Business School, where she received her bachelor's degree. Her research interests are within the areas of IT implementation approaches, change management, interaction design, and research design.
→ lihe18ad@student.cbs.dk

✎ **Jose Abdelnour-Nocera** is a professor of sociotechnical design at the University of West London. His interests are in stakeholder diversity in the design of people-centered systems and in software development teams. He has been involved in several projects in international development, health, enterprise resource planning systems, service design, and higher education.
→ Jose.Abelnour-Nocera@uwl.ac.uk

✎ **Arminda Guerra Lopes** is a professor at Polytechnic Institute of Castelo Branco. She is a researcher at LARSyS/Interactive Technologies Institute (ITI) in Portugal. Her research interests include human-computer interaction, interaction design, and research methodologies. She holds a Ph.D. in human-computer interaction from Leeds Metropolitan University in the U.K.
→ aglopes@ipcb.pt

✎ **Parisa Saadati** is a lecturer in IT at the University of West London. She is currently a Ph.D. student in sociotechnical design for automated systems. Her research interests lie in designing future automated systems and workplaces based on human-centered systems and Agile project management.
→ Parisa.Saadati@uwl.ac.uk